	Type	Hits	Search Text	DBs
1	BRS	431	(off) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	181	(power near (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	17	retransmi$5 and (power near (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	119	retransmi$5 and (power near$2 (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	119	retransmi$5 and (power near$ (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	477	(power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	185	conserv$5 and (power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	64	request and conserv$5 and (power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	35	((paging or access) near channel) and (power near (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	33	((paging or access) near channel) and (power adj (off or down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3	off and 887778.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	3	$off and 887778.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	3	6609008.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1	tim$4 and 6609008.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	40	(power near off) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	5	((power near off) and (power near down)) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	27	((power near off) and (power near down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	27	(((power near off) or (power-off)) and (power near down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	2	receive and 6223047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	1	call and 6223047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1	(second or sec) and 6223047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	(second or sec$) and 6609008.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	(time or relay) and 6223047.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	442	(second or sec.) and (power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	270	call and (second or sec.) and (power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	36	call and ((one or two) near (second or sec.)) and (power near$ (off or down)) and base and 455/574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	2	(call) and ("6609008" or "6223047" or "6535752").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	1	(stand-by) and ("6609008" or "6223047" or "6535752").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	4	(two or three) and ("6609008" or "6223047" or "6535752").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
30	BRS	7	((power near5 off) near3 request$4) and base and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	42	((power near5 off) near3 request$4) and base and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	48	((power near5 off) near3 request$4) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	67	((power near5 off) near6 request$4) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	34	((power near5 off) near6 request$4) and 370/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	4518	(power near5 off) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	576	mobile and load and (power near5 off) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	102	mobile and load and (power adj off) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	317	mobile and load and (power adj (off or down)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	82	(mobile near6 request) and load and (power adj (off or down)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	88	(mobile near6 request$4) and load and (power adj (off or down)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	5	((mobile near6 request$4) same (power adj (off or down))) and load and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	5	((mobile near6 request$4) same (power adj (off or down))) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	83	((mobile) same (power adj (off or down))) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	62	(mobile near9 (power adj (off or down))) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	294	(mobile near8 (power adj (off or down))) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	325	(mobile near8 (power near3 down)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	280	(mobile near5 (power near3 down)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	29	((power near3 down) near3 request$4) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	32	((power near3 off) near3 request$4) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	6591113.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	19	power and (mortensen near2 ivar).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	(power near3 down) and (mortensen near2 ivar).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	3	(power near3 off) and (mortensen near2 ivar).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	163	(power near3 (off or down)) and alcatel.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	68	(power near3 down) and alcatel.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1	((power$4 near3 down) near5 request$4) and nokia.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	2	((power$4 near3 down) near5 request$4) and ericsson.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	251	((power$4 near3 down)) and ericsson.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	0	5353332.ap..	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
60	BRS	2	5353332.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	1	power and 5353332.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	6	886878.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	11	(power near5 (down or off)) and ("283688" or "643496" or "428988" or "697494" or "732268" or "279483" or "729272").ap..ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	12	(power near5 (down or off)) and ("283688" or "643496" or "428988" or "697494" or "732268" or "279483" or "729272" or "575825").ap..ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	8	(power near5 (down or off)) and ("283688" or "643496" or "428988" or "697494" or "732268" or "575825").ap..ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	81	((power adj (down or off)) near3 registration) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	72	((power adj (down)) near3 registration) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	7	(call) and ("283688" or "643496" or "428988" or "697494" or "732268" or "279483" or "729272" or "575825").ap..ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	236	(mobile near5 request$4 or ask$4 or command$4) and (power near4 control$4) and (resend$4 or again or retransm$4) and (power near5 (decre$8)) and 455/522,127.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	123	(mobile near5(request$4 or ask$4 or command$4)) and (resend$4 or again or retransm$4) and (power near5 (decre$8)) and 455/522,127.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	152	(mobile near5(request$4 or ask$4 or command$4)) and (resend$4 or again or retransm$4) and (power near5 (decre$8 or decrement$4 or reduc$6 or low45)) and 455/522,127.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	(retry near5 second) and (mobile near5 (request$4 or ask$4 or command$4)) and (resend$4 or again or retransm$4) and (power near5 (decre$8 or decrement$4 or reduc$6 or low$5)) and 455/522,127.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	6	((resend$4 or retransm$4 or again or retry) near5 second) and (mobile near5 (request$4 or ask$4 or command$4)) and (power near5 (decre$8 or decrement$4 or reduc$6 or low$5)) and 455/522,127.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	63	((resend$4 or retransm$4 or again or retry) near5 second) and (mobile near5 (request$4 or ask$4 or command$4)) and (power near5 (decre$8 or decrement$4 or reduc$6 or low$5)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	439	((resend$4 or retransm$4 or again or retry or wait) near8 (time or second)) and (mobile near5 (request$4 or ask$4 or command$4)) and (power near5 (decre$8 or decrement$4 or reduc$6 or low$5)) and 455/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	15	(wait adj time) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	12	(waiting adj time) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	22	(retry) and 455/522.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB